

WATER COOLERS WITH AN ICE BANK DESIGNED FOR SMALL-SIZED HOSPITALITY FACILITIES.



CZECH UP YOUR BEER  
COOLING AND DISPENSING SYSTEMS

# AS-40 NEW MODEL

## ICE BANK

Professional under-counter beer coolers use a water exchanger for cooling, from which the evaporator forms an ice bank.





# AS-40 NEW 2X COILS GREEN LINE

The AS-40 NEW GREEN LINE water cooler is equipped with conventional ice-bank cooling technology. The coolers are designed for gastro businesses and restaurants with smaller outputs. The design of the cooler allows for easy installation, e.g. under the bar or in another area. Great advantages include the small size of the cooler, the drain valve that allows easy draining of water from the unit and the water level gauge to keep track of the level.



## << EASILY PORTABLE

Easy and safe handling with two stainless steel handles on the device sides.

## < THERMAL REGULATION

Thermostat for smooth and precise beverage temperature control is a standard part.



## | BENEFITS AND USEFUL FEATURES

**INNOVATION** – All of our contact coolers undergo continuous development and meet all the latest safety standards and certifications (Czech and European).

**AS TECHNOLOGY** – Water cooling technology with an ice bank, where full ice supply provides maximum cooling performance.

**OUTPUT** – The AS-40 NEW GREEN LINE tapping equipment, with its increased continuous output, allows for the continuous serving of quality chilled beverages in quantities corresponding to their numerical marking in litres.


**IMMERSION PUMP** – The built-in stirrer ensures an even temperature throughout the water bath. If required, the stirrer can be modified and used as an aftercooling pump with a discharge of 1.2 m.

**GREEN LINE** – The LINDR GREEN LINE technology is environmentally friendly thanks to the use of the eco-friendly refrigerant R-290. Thanks to this design, each product achieves 20% higher energy efficiency and 20% lower power consumption. We have introduced an energy saving system in the production.

**CONSTRUCTION AND SERVICE** – The modern layout of the cooling technology guarantees easy accessibility for any service and maintenance.

**EQUIPMENT** – Standard features include a thermostat for smooth and precise beverage temperature control, a cooling loop and quick couplers.

**COMPACT DESIGN** – The AS series coolers have the best performance, size and price ratio on the market.






WE KNOW THAT DETAILS MATTER

## DRAIN VALVE WITH LEVEL GAUGE

The cooler is fitted with a drain valve that allows easy draining of water from the unit and the water level gauge to keep track of the level.

# AS-40 NEW 2X COILS GREEN LINE



PRODUCT MODEL	AS-40 NEW 2X COILS GL
COOLING POWER OF THE COMPRESSOR (HP)	1/8
COOLING POWER OF THE COMPRESSOR (W)	310
MAXIMUM COOLING CAPACITY TO 0°C / TK 45°C (L/HOUR)	40
CONTINUOUS COOLING PERFORMANCE (L/HOUR)	25
THERMAL GRADIENT ΔT (°C)	10
AIR COMPRESSOR	-
ICE BANK (KG)	4-8
DISPLACEMENT OF RECIRCULATION PUMP (M)	1,2
RECIRCULATION CONNECTION (FITTINGS)	1/2
NUMBER OF COOLED BEVERAGES (PCS)	2
LENGTH OF COOLING COILS (M)	2X8
DIAMETER OF COOLING COIL (MM)	7X8
POWER (W)	322
AMPERAGE (A)	1,40
NET WEIGHT (KG)	17,5
REFRIGERANT TYPE	R290
VOLTAGE (V)	220-240V 50HZ-1
BEVERAGE CONNECTION (FITTINGS)	9,5MM (3/8")
AIR CONNECTION (FITTINGS)	-
WATER DRAIN WITH WATERMARK	YES
CUSTOMIZED OPTIONS	
CHOICE OF TAP	NO
STAINLESS STEEL SCREWING	NO
POWER CABLE PLUG	YES
DIGITAL THERMOSTAT	YES