

SOUDEK 50 NEW 3X TAP

SOLID OAK WOOD IN COMBINATION WITH STAINLESS STEEL ACCESSORIES GIVES THOSE COOLERS AN UNMISTAKABLE LOOK.



CZECH UP YOUR BEER
COOLING AND DISPENSING SYSTEMS

STAINLESS STEEL & OAK WOOD

The result of this combination is a unique look, which you will appreciate in a rustic kitchen, home bar or smaller commercial environments.





SOUDEK 50 NEW GREEN LINE 3X TAP

The luxurious beer cooler SOUDEK 50 NEW GREEN LINE with 3 taps represents combination of exclusive oak wood and stainless steel accessories. The result of this combination is a unique look, which you will appreciate in a rustic kitchen, home bar or smaller commercial environments, such as wine shops or wine bars. Technically, this model is based on our beer cooler KONTAKT 40.



<< TEMPERATURE CONTROL

The standard supplied part is a thermostat enabling continuous and precise regulation of the beverage temperature.

< EASY TO CARRY

Easy and safe handling thanks to the small dimensions of this dispensing machine and wooden handle, which is located on its upper part.

| BENEFITS AND USEFUL FEATURES

INNOVATION - All our luxury coolers are constantly evolving and meet all the latest safety standards and certifications (Czech and European).

DESIGN - Solid oak wood in combination with stainless steel accessories gives those coolers an unmistakable look.

STAINLESS STEEL TAP - We offer a choice with a stainless steel tap for bottling wine, which is optimal both in terms of durability and hygiene.

PERFORMANCE - The SOUDEK series dispensing machines, with their increased continuous output 40-50 l/h, enable the continuous serving of 80-100 high-quality chilled beverages in quantities corresponding to their numerical designation in liters.

GREEN LINE - LINDR GREEN LINE technology is environmentally friendly thanks to the use of ecological refrigerant R-290. Thanks to this design, each of the products achieves 20 % higher energy efficiency and 20 % lower electricity consumption. We produce energy savings system during its production.

COOLING SPEED - The unique design of the cooling block with a perfectly tuned circuit guarantees not only the cooling of the beverage within a few minutes of switching on, but also the maintenance of a constant temperature if several beverages are dispensed in a short time.

BEVERAGE VOLUME IN THE COOLING UNIT - A characteristic feature of our coolers is the large volume of beverage in the cooling block. Even the smallest models in the range of luxury coolers have a minimum of 0.5 l. The uniform inner diameter of the cooling coil (7 mm) from the dispense head to the tap guarantees cleanliness and optimal flow of the beverage.

EQUIPMENT - The standard supplied part is a thermostat enabling continuous and precise regulation of the beverage temperature, a tap, a tap wrench, a drip tray and speedfit fittings for easy connection.

OVERALL COMPACTNESS - SOUDEK portable coolers have the best ratio of performance, size and price on the market.




WE KNOW THAT DETAILS MATTER

DISPENSING OPTIONS

Thanks to three taps, this machine can be used to dispense a total of three beverages, two chilled and one non-chilled. We offer a choice with a stainless steel tap for bottling wine, which is optimal both in terms of durability and hygiene.

SOUDEK 50 NEW 3X TAP GREEN LINE



PRODUCT MODEL	SOUDEK 50 NEW 3X TAP GL
COOLING POWER OF THE COMPRESSOR (HP)	1/5
COOLING POWER OF THE COMPRESSOR (W)	510
MAXIMUM COOLING CAPACITY TO 0 °C / TK 45 °C (L/HOUR)	50
CONTINUOUS COOLING PERFORMANCE (L/HOUR)	40
THERMAL GRADIENT ΔT (°C)	10
AIR COMPRESSOR (BAR)	NO
AIR COMPRESSOR PRESSURE (BAR)	-
NUMBER OF TAPS (PCS)	3
NUMBER OF COOLED BEVERAGES (PCS)	2
LENGTH OF COOLING COILS (M)	2X16,5
DIAMETER OF COOLING COIL (MM)	7X8
POWER (W)	322
AMPERAGE (A)	1,40
NET WEIGHT (KG)	33,0
REFRIGERANT TYPE	R290
VOLTAGE (V)	220-240V 50HZ-1
BEVERAGE CONNECTION (FITTINGS)	9,5MM (3/8")
AIR CONNECTION (FITTINGS)	-
CUSTOMIZED OPTIONS	
CHOICE OF TAP	NO
BEVERAGE CONNECTION - STAINLESS STEEL SCREWING	YES
AIR CONNECTION - STAINLESS STEEL SCREWING	NO
MOTIVE OF LIGHTING PANEL	NO
POWER CABLE PLUG	YES