



## SODA EXCLUSIVE NEW GREEN LINE

Soda water maker SODA EXCLUSIVE GREEN LINE NEW is a professional device designed for producing chilled soda water by mixing H2O and CO2. This practical machine with its unique design is suitable for use in households, offices, restaurants, production facilities etc. The soda water maker is fitted with high quality control buttons for easy use. Its exclusive look is highlighted by a backlit front panel.





<< SODA EXCLUSIVE NEW GREEN LINE</p>
PUSH BUTTON CONTROL - The soda water
maker is fitted with high quality control
buttons for easy use.

SODA EXCLUSIVE NEW GREEN LINE >

BACKLIT FRONT PANEL - Elegant look with
backlit front panel with customised logos.

## | BENEFITS AND USEFUL FEATURES

**BACKLIT FRONT PANEL** - Elegant look with backlit front panel with customised logos.

**PUSH BUTTON CONTROL** - The soda water maker is fitted with high quality control buttons for easy use.

**INNOVATION** – All our coolers are constantly evolving and meet all the latest safety standards and certifications (Czech and European).

**PERFORMANCE** – The soda makers, with their increased continuous output, enable the continuous serving of high-quality chilled beverages in quantities corresponding to their numbering in liters.

**GREEN LINE** – LINDR GREEN LINE technology

is environmentally friendly thanks to the use of eco-friendly refrigerant R-290. Thanks to this design, each product achieves 20 % higher

energy efficiency and 20 % lower energy consumption.

We have introduced an energy saving system in the production.


**CONSTRUCTION AND SERVICE** – The modern

layout of the cooling technology guarantees easy accessibility for any service and maintenance.


**OVERALL COMPACTNESS** – soda makers have the best ratio of performance, size and price on the market.



## SODA EXCLUSIVE NEW GREEN LINE









PRODUCT MODEL	SODA EXCLUSIVE NEW GL
COOLING POWER OF THE COMPRESSOR (HP)	1/8
COOLING POWER OF THE COMPRESSOR (W)	310
MAXIMUM COOLING CAPACITY TO 0°C / TK 45°C (L/HOUR)	25
CONTINOUS COOLING PERFORMANCE (L/HOUR)	20
THERMAL GRADIENT AT (°C)	10
AIR COMPRESSOR	NO
ICE BANK (KG)	-
NUMBER OF TAPS (PCS)	i
NUMBER OF COOLED BEVERAGES	SODA+WATER
CARBONATED WATER (L/HOUR)	20-25
LENGTH OF COOLING COILS (M)	1X11
POWER (W)	391
AMPERAGE (A)	1,70
NET WEIGHT (KG)	23,0
REFRIGERANT TYPE	R290
VOLTAGE (V)	220-240V 50HZ~1
BEVERAGE CONNECTION (FITTINGS)	WATER 3/8
CO2 CONNECTION (FITTINGS)	5/16
OUTPUT (FITTINGS)	-
CUSTOMIZED OPTIONS	
CHOICE OF TAP	NE
CONNECTION - STAINLESS STEEL SCREWING	NE
MOTIVE OF LIGHTING PANEL	ANO
POWER CABLE PLUG	ANO