The LINDR T dispensing tower with eight taps is part of the very first comprehensive line of dispensing towers we have designed.

This series has the greatest variability in the number of taps, from two to ten. Thanks to the more subtle construction with a smaller spacing of the taps, the tower can be used in areas with a lack of space.



BENEFITS AND USEFUL FEATURES

SIMPLE CONSTRUCTION - The tower has a simple construction.

VARIABILITY OF THE NUMBER OF TAPS - The LINDRT range of towers offers the widest range of number of taps from two to ten.

DESIGN - The surface treatment is possible in polished stainless steel or with sandblasting.

EASY COOLING - The tower has a simple recirculation coil.


MORE SUBTILE DESIGN - Thanks to the smaller spacing between taps, which is 100 mm, the tower allows you to dispense more types of beverages in a relatively small area.


LINDR T TOWER 6X TAP











NUMBER OF TAPS (PCS)

COLOUR DESIGN (YES)


BEVERAGE CONNECTION (MM)

STAINLESS STEEL/ SANDBLASTED


8/10

www.lindr.cz

LINDR T TOWER 8X TAP



LINDR T TOWER 10X TAP





TECHNICAL PARAMETERS

PRODUCT MODEL	LINDR T TOWER 6X TAP	LINDR T TOWER 8X TAP	LINDR T TOWER 10X TAP
ILLUMINATED ADVERTISING	YES	YES	YES
CONNECTION - INLET 8 MM STAINLESS STEEL INLET WITH RECIRCULATION COIL RIGHT TO THE TAP	YES	YES	YES
NUMBER OF TAPS (PCS)	6	8	10
WEIGHT (KG)	15,5	18,0	21,0
COLOR DESIGN POLISHED STAINLESS STEEL	YES	YES	YES

OPTIONAL ACCESSORIES	YES	YES	YES
COLOR DESIGN PVD GOLD	Х	Х	Х
CHOICE OF TAP	Х	Х	Х
CHOICE OF MEDALLION	~	✓	✓
CONNECTION - INLET 10 MM STAINLESS STEEL INLET WITH RECIRCULATION COIL RIGHT TO THE TAP	✓	✓	✓

POSSIBLE CUSTOMIZED OPTIONS	YES	YES	YES
COLOR DESIGN ACCORDING TO RAL SAMPLES	Х	Х	Х
COLORED DESIGN OF SANDBLASTING	~	✓	✓

We will be happy to inform you regarding custom modifications (contact us).













STAINLESS STEEL