

THE IDEAL COMBINATION OF THE ADVANTAGES OF DRY CONTACT AND WATER COOLERS – UNIQUE CWP TECHNOLOGY.



CZECH UP YOUR BEER  
COOLING AND DISPENSING SYSTEMS

# TECHNOLOGY CWP & BENEFITS

CWP stands for Contact Water Power. It is a unique thermoblock design, developed by our company, that combines the advantages of dry contact and water coolers.



CWP 300 NEW MODELS

4, 6, 8X  
  
COILS



# CWP 300 NEW 4X COILS GREEN LINE

The CWP 300 NEW GREEN LINE undercounter cooler is a professional device combining the advantages of contact and water coolers by using direct evaporator energy to cool the beverage line, offering constant operation without the use of an ice bank. Thanks to these features, the device can be cooled down quickly while maintaining a constant temperature at increased flow rates. The number of loops indicates the number of drinks that can be chilled at the same time. We pride ourselves on quality workmanship and perfect design, but also on high performance with compact dimensions.



<< PRACTICAL DOOR  
Allows easy access for service and maintenance.

< THERMAL REGULATION  
Thermostat for smooth and precise beverage temperature control is a standard part.

## | BENEFITS AND USEFUL FEATURES

**INNOVATION** – All our coolers undergo continuous development and meet all the latest safety standards and certifications (Czech and European).

**CWP TECHNOLOGY** – CWP stands for Contact Water Power.

It is a unique thermoblock design, developed by our company, that combines the advantages of dry contact and water coolers. The evaporator is in direct contact with the beverage line and can react immediately to increased beverage flow. The time needed for cooling is only about 30–40 minutes from turning on the device.

**GREEN LINE** – LINDRGREENLINE technology is environmentally friendly thanks to the use of the environmentally friendly refrigerant R-290. Thanks to this design, each product achieves 20% higher energy efficiency and 20% lower electricity consumption. In its production we carry out systemic energy saving.

**PERFORMANCE** – CWP NEW GREEN LINE enables, thanks to the increased continuous output, the dispensing of quality chilled beverages in quantities corresponding to their numerical designation in litres. NUMBER OF COILS - The cooler enables dispensing up to four different beverages.

**CONSTRUCTION AND SERVICE** – The modern layout of the cooling technology guarantees easy accessibility for service and maintenance.

**ACCESSORIES** – A thermostat for smooth and precise beverage temperature control, a cooling coil and speed fittings are standard parts.

**TOTAL COMPATIBILITY** – CWP line coolers have the best performance, size and price ratio on the market.







WE KNOW THAT DETAILS MATTER

## DRAIN VALVE WITH WATERMARK

The cooler is equipped with a drain valve that allows easy draining of water from the unit and a watermark to see the liquid level.

# CWP 300 NEW 4X COILS GREEN LINE



CWP 300 NEW GL	4X COILS	6X COILS	8X COILS
COOLING POWER OF THE COMPRESSOR (HP)	1	1	1
COOLING POWER OF THE COMPRESSOR (W)	2360	2360	2360
MAX. COOLING CAPACITY TO 0°C / TK 45°C (L/HOUR)	200	200	200
CONTINUOUS COOLING PERFORMANCE (L/HOUR)	180	180	180
THERMAL GRADIENT ΔT (°C)	10	10	10
AIR COMPRESSOR	-	-	-
ICE BANK (KG)	0-5	0-5	0-5
DISPLACEMENT OF RECIRCULATION PUMP (M)	8	8	8
RECIRCULATION CONNECTION (FITTINGS)	1/2	1/2	1/2
NUMBER OF COOLED BEVERAGES (PCS)	4	6	8
LENGTH OF COOLING COILS (M)	4X20	4X20 2X14,5	4X20, 2X14,5 2X11
DIAMETER OF COOLING COIL (MM)	7X8	7X8	7X8
POWER (W)	1081	1081	1081
AMPERAGE (A)	4,70	4,70	4,70
NET WEIGHT (KG)	46,5	47,5	51,5
REFRIGERANT TYPE	R290	R290	R290
VOLTAGE (V)	220-240V 50HZ-1	220-240V 50HZ-1	220-240V 50HZ-1
BEVERAGE CONNECTION (FITTINGS)	9,5MM (3/8")	9,5MM (3/8")	9,5MM (3/8")
AIR CONNECTION (FITTINGS)	-	-	-
WATER DRAIN WITH WATERMARK	YES	YES	YES
<b>CUSTOMIZED OPTIONS</b>			
CHOICE OF TAP	NO	NO	NO
STAINLESS STEEL SCREWING	NO	NO	NO
POWER CABLE PLUG	YES	YES	YES
DIGITAL THERMOSTAT	YES	YES	YES