SOLID OAK WOOD IN COMBINATION WITH STAINLESS STEEL ACCESSORIES GIVES THOSE COOLERS AN UNMISTAKABLE LOOK.



CZECH UP YOUR BEER COOLING AND DISPENSING SYSTEMS

STAINLESS Steel & Oak wood

The result of this combination is a unique look, which you will appreciate in a rustic kitchen, home bar or smaller commercial environments.




8



The luxurious beer cooler SOUDEK 20 NEW GREEN LINE is a combination of exclusive oak wood and stainless steel accessories. The result of this combination is a unique look, which you will appreciate in a rustic kitchen, home bar or smaller commercial environments, such as wine shops or wine bars. Technically, this model is based on our range of portable beer cooler PYGMY 20.







- << TEMPERATURE CONTROL</pre>
 - The standard supplied part is a thermostat enabling continuous and precise regulation of the beverage temperature.
- < FLOW CONTROL Compensator taps allow continuous flow control.

BENEFITS AND USEFUL FEATURES

INNOVATION - All our luxury coolers are constantly evolving and meet all the latest safety standards and certifications (Czech and European).

DESIGN - Solid oak wood in combination with stainless steel accessories gives those coolers an unmistakable look.

STAINLESS STEEL TAP - We offer a choice with a stainless steel tap for bottling wine, which is optimal both in terms of durability and hygiene.

PERFORMANCE - The SOUDEK series dispensing machines, with their increased continuous output 15-20 l/h, enable the continuous serving of 30-40 high-quality chilled beverages in quantities corresponding to their numerical designation in liters.


GREEN LINE - LINDR GREEN LINE technology is environmentally friendly thanks to the use of ecological refrigerant R-290. Thanks to this design, each of the products achieves 20 % higher energy efficiency and 20 % lower electricity consumption. We produce energy savings system during its production.

COOLING SPEED - The unique design of the cooling block with a perfectly tuned circuit guarantees not only the cooling of the beverage within a few minutes of switching on, but also the maintenance of a constant temperature if several beverages are dispensed in a short time.


BEVERAGE VOLUME IN THE COOLING UNIT - A characteristic feature of our coolers is the large volume of beverage in the cooling block. Even the smallest models in the range of luxury coolers have a minimum of 0.5 l. The uniform inner diameter of the cooling coil (7 mm) from the dispense head to the tap guarantees cleanliness and optimal flow of the beverage.

EQUIPMENT - The standard supplied part is a thermostat enabling continuous and precise regulation of the beverage temperature, a tap, a tap wrench, a drip tray and speedfit fittings for easy connection.

OVERALL COMPACTNESS - SOUDEK portable coolers have the best ratio of performance, size and price on the market.













| PRODUCT MODEL | SOUDEK 20 NEW GL |
|--|------------------|
| COOLING POWER OF THE COMPRESSOR (HP) | 1/8 |
| COOLING POWER OF THE COMPRESSOR (W) | 280 |
| MAXIMUM COOLING CAPACITY TO 0 °C / TK 45 °C (L/HOUR) | 20 |
| CONTINOUS COOLING PERFORMANCE (L/HOUR) | 15 |
| THERMAL GRADIENT AT (°C) | 10 |
| AIR COMPRESSOR (BAR) | NO |
| AIR COMPRESSOR PRESSURE (BAR) | - |
| NUMBER OF TAPS (PCS) | 1 |
| NUMBER OF COOLED BEVERAGES (PCS) | 1 |
| LENGTH OF COOLING COILS (M) | 1X11,0 |
| DIAMETER OF COOLING COIL (MM) | 7X8 |
| POWER (W) | 253 |
| AMPERAGE (A) | 1,10 |
| NET WEIGHT (KG) | 13,0 |
| REFRIGERANT TYPE | R290 |
| VOLTAGE (V) | 220-240V 50HZ~1 |
| BEVERAGE CONNECTION (FITTINGS) | 9,5MM (3/8") |
| AIR CONNECTION (FITTINGS) | - |
| CUSTOMIZED OPTIONS | |
| CHOICE OF TAP | YES |
| BEVERAGE CONNECTION - STAINLESS STEEL SCREWING | YES |
| AIR CONNECTION - STAINLESS STEEL SCREWING | NO |
| MOTIVE OF LIGHTING PANEL | NO |
| POWER CABLE PLUG | YES |

