
THE IDEAL COMBINATION OF THE ADVANTAGES OF DRY CONTACT AND WATER COOLERS - UNIQUE CWP TECHNOLOGY.






CWP 300 MOBILE NEW 2X TAPS GREEN LINE

The mobile cooler from the CWP NEW GREEN LINE is a perfect to use for events, trade fairs or sporting events thanks to its mobility, a tap stand with advertising plaque and a work surface with a drip plate. It is a professional device combining the advantages of contact and water coolers by using direct evaporator energy to cool the beverage line, offering constant performance without the use of an ice bank. Thanks to these features, the device can be cooled down quickly while maintaining a constant temperature at increased flow rates. We pride ourselves on quality workmanship and perfect design, but also on high performance with compact dimensions.







- ^ DRAIN VALVE WITH WATERMARK

 The cooler is equipped with a drain valve that allows easy draining of water from the unit and a watermark to see the liquid level.
- THERMAL REGULATION

 Thermostat for smooth and precise beverage temperature control is a standard part.



BENEFITS AND USEFUL FEATURES

INNOVATION – All our coolers undergo continuous development and meet all the latest safety standards and certifications (Czech and European).

CWP TECHNOLOGY – CWP stands for Contact Water Power. It is a unique thermoblock design, developed by our company, that combines the advantages of dry contact and water coolers.

The evaporator is in direct contact with the beverage line and can react immediately to increased beverage flow. The time needed for cooling is only about 30–40 minutes from turning on the device.


GREEN LINE – LINDR GREEN LINE technology is environmentally friendly thanks to the use of the environmentally friendly refrigerant R-290. Thanks to this design, each product achieves 20% higher energy efficiency and 20% lower electricity consumption. In its production we carry out systemic energy saving.

PERFORMANCE – CWP NEW GREEN LINE enables, thanks to the increased continuous output, the dispensing of quality chilled beverages in quantities corresponding to their numerical designation in litres. NUMBER OF COILS - The cooler enables dispensing up to three different beverages.

CONSTRUCTION AND SERVICE – The modern layout of the cooling technology guarantees easy accessibility for service and maintenance.

ACCESSORIES – A thermostat for smooth and precise beverage temperature control, a cooling coil and speed fittigns are standard parts.

TOTAL COMPATIBILITY – CWP line coolers have the best performance, size and price ratio on the market.









PRODUCT MODEL	CWP 300 MOBILE NEW 2X TAPS GL
COOLING POWER OF THE COMPRESSOR (HP)	1
COOLING POWER OF THE COMPRESSOR (W)	2300
MAX. COOLING CAPACITY to 0°C / TK 45°C (L/HOUR)	200
CONTINOUS COOLING PERFORMANCE (L/HOUR)	180
THERMAL GRADIENT AT (°C)	10
AIR COMPRESSOR	-
ICE BANK (KG)	0-5
DISPLACEMENT OF RECIRCULATION PUMP (M)	6
RECIRCULATION CONNECTION (FITTINGS)	-
NUMBER OF COOLED BEVERAGES (PCS)	2
LENGTH OF COOLING COILS (M)	2X40
DIAMETER OF COOLING COIL (MM)	7X8
POWER (W)	1081
AMPERAGE (A)	4,70
NET WEIGHT (KG)	66,0
REFRIGERANT TYPE	R290
VOLTAGE (V)	220-240V 50HZ~1
BEVERAGE CONNECTION (FITTINGS)	9,5MM (3/8")
AIR CONNECTION (FITTINGS)	-
WATER DRAIN WITH WATERMARK	YES
CUSTOMIZED OPTIONS	
CHOICE OF TAP	YES
STAINLESS STEEL SCREWING	YES
POWER CABLE PLUG	YES
DIGITAL THERMOSTAT	YES

DISPENSING EQUIPMENT - CWP