

THE HIGH PERFORMANCE AND VERSATILE APPLICATIONS FOR VARIOUS OPERATIONAL SETTINGS.



CZECH UP YOUR
BEER | WATER | WINE | DRINK
COOLING AND DISPENSING SYSTEMS

PERFORMANCE & FLEXIBILITY

THE SODA AS-40 GREEN LINE
is an ideal solution for those seeking
a reliable and high-performance unit
for dispensing soda water and other
beverages.

R290 
ENVIRONMENTALLY
FRIENDLY REFRIGERANT





SODA AS-40 GREEN LINE

The Soda AS-40 Green Line is an innovative soda water maker by Lindr, delivering reliable performance and versatile use in professional settings. At the heart of the device is a high-performance stainless steel pump with an RPM motor, which, together with a 1.2-liter saturation tank, ensures ideal carbonation of the water. With up to 7 grams of CO₂ per liter, the resulting soda water has the perfect fizz to delight every customer.

The modern Lindr compressor cooling unit with 1/8 HP provides efficient and reliable cooling. In addition to soda water, the Soda AS-40 Green Line can dispense an additional beverage, such as cold still water, lemonade, beer, wine, or cider. The two separate inputs allow easy connection of water and one additional keg beverage of your choice, increasing the unit's versatility.

The eco-friendly refrigerant R290 ensures environmental sustainability while delivering top performance.



<< EASY CONNECTION

The two separate inputs allow easy connection of water and one additional keg beverage of your choice, increasing the unit's versatility.

< FLEXIBILITY

The carbonation unit can also be switched off independently of the cooling system via a separate switch, allowing flexible operation adjustment as needed.

Thanks to its compact under-counter design, the Soda AS-40 Green Line integrates easily into any space. The recirculation pump cools the python up to a height of 1.2 meters, providing flexibility in various draft system configurations. A convenient IEC connector also allows for easy cable replacement, simplifying usage in different countries worldwide.

| BENEFITS AND USEFUL FEATURES

INNOVATION – Lindr pushes the boundaries of beverage cooling, delivering innovative solutions that enhance performance, efficiency, and ease of use. With modern technology, a compact design, and an eco-friendly approach, Lindr responds to the needs of today's establishments by providing reliable and practical cooling systems.

COMPACT DESIGN – Thanks to its compact under-counter design, the Soda AS-40 Green Line easily integrates into any setting. Its recirculation pump maintains stable drink temperatures up to 1.2 meters in height, enabling flexible draft system configurations.


PERFORMANCE AND FLEXIBILITY – The Soda AS-40 Green Line delivers high performance and versatile applications for various operational settings. Its high-power stainless steel pump and high volume saturation tank ensure carbonation up to 7 grams of CO₂ per liter, producing up to 45 liters of perfectly fizzy soda water per hour. A dedicated switch for the carbonation unit allows it to be turned off independently from the cooling system, providing operational flexibility as needed.

REINFORCED INSULATION – With 3 cm of insulation, the device effectively prevents condensation on its surface in humid environments and improves energy efficiency. This feature makes the Soda AS-40 Green Line an ideal choice for operations in tropical regions.

GREEN LINE – The LINDR GREEN LINE technology is environmentally friendly, utilizing eco-friendly R-290 refrigerant. This design allows each product to achieve 20% higher energy efficiency and 20% lower electricity consumption. Our manufacturing process also incorporates systematic energy savings.

EASY MAINTENANCE – Designed for easy maintenance, the device features a removable fan for simple condenser cleaning, while the rotary pump, saturation tank, and electronics are modular and can be removed independently, greatly facilitating service and maintenance.

ROTARY PUMP



✓ REINFORCED INSULATION

The reinforced 3 cm insulation prevents water condensation on the surface of the device in areas with high humidity and also improves the device's energy efficiency.







SATURATION TANK

^ EASY MAINTENANCE

Like all Lindr coolers, the device is thoughtfully designed for easy maintenance and service. The removable fan enables easy cleaning of the condenser without complex disassembly. The rotary pump, saturation tank, and soda bar electronics are also removable as separate modules, greatly facilitating service and maintenance.

SODA AS-40 GREEN LINE



PRODUCT MODEL	SODA AS-40 GL
COOLING POWER OF THE COMPRESSOR (HP)	1/8
COOLING POWER OF THE COMPRESSOR (W)	310
MAXIMUM COOLING CAPACITY TO 0°C / TK 45°C (L/HOUR)	45
CONTINUOUS COOLING PERFORMANCE (L/HOUR)	25
THERMAL GRADIENT ΔT (°C)	10
AIR COMPRESSOR	NO
ICE BANK (KG)	4-8
NUMBER OF TAPS (PCS)	-
NUMBER OF COOLED BEVERAGES	SODA+1
CARBONATED WATER (L/HOUR)	25-45
LENGTH OF COOLING COILS (M)	1X11, 1X6
POWER (W)	644
AMPERAGE (A)	2,80
NET WEIGHT (KG)	28,0
REFRIGERANT TYPE	R290
VOLTAGE (V)	220-240V 50HZ~1
BEVERAGE CONNECTION (FITTINGS)	WATER 3/8, BEVERAGE 5/16
CO2 CONNECTION (FITTINGS)	5/16
OUTPUT (FITTINGS)	WATER 5/16, BEVERAGE 5/16
CUSTOMIZED OPTIONS	
CHOICE OF TAP	NO
CONNECTION - STAINLESS STEEL SCREWING	NO
MOTIVE OF LIGHTING PANEL	NO
POWER CABLE PLUG	YES