

PYGMY 25 EXCLUSIVE NEW 2X NITRO

WELCOME TO THE WORLD OF NITRO COLD BREW COFFEE AVALANCHE.



CZECH UP YOUR
BEER | WATER | WINE | DRINK
COOLING AND DISPENSING SYSTEMS



NITRO COFFEE & COLD BREW

All Nitro Coffee models are equipped with a Stout-style tap with a cream spout for perfect nitro coffee pouring.





PYGMY 25 EXCLUSIVE NEW 2X NITRO GREEN LINE

This professional cooler is designed for serving nitro cold brew coffee. It includes a food-grade nitrogen connection and an integrated pressure regulator for precise gas control – ensuring smooth texture and stable foam. The unit is based on the premium PYGMY EXCLUSIVE series and features a modern Lindr cooling system with a stainless steel beverage coil. The setup includes a Stout-type tap with a special cream spout nozzle, which breaks the liquid stream during pouring to create dense, velvety foam.

The cooler is ready for use within minutes. With a cooling capacity of 25–35 l/h, adjustable temperature via thermostat, eco-friendly R-290 refrigerant, and energy-saving GREEN LINE technology, it offers efficient and reliable performance. The dual tap version adds flexibility – the second tap can serve cold brew, beer, wine, or other chilled beverages. Each tap has a separate coil, enabling independent operation and a broader beverage selection from a single unit.



<< NITROGEN WITH FLOW CONTROL

Designed for connection to an external nitrogen source, built-in flow regulator ensures precise gas flow for the desired texture and foam.

< STOUT TAP WITH CREAM SPOUT NOZZLE

Special tap design breaks the liquid stream during pouring and creates dense, velvety foam with a cascading effect.



Nitro cold brew is one of the most prominent trends in today's coffee culture. This chilled beverage is created by cold-extracting coffee and infusing it with food-grade nitrogen.

**NITRO
COFFEE**
COLD BREW

| BENEFITS AND USEFUL FEATURES

NITRO COFFEE – All Nitro Coffee models are equipped with a Stout-style tap with a cream spout for perfect nitro coffee pouring.

NITROGEN SATURATION – A key process where nitrogen is injected into cold brew coffee, resulting in smooth texture, cascading effect, and rich foam.

NITROGEN REGULATION – An integrated regulator allows precise adjustment of nitrogen flow for desired results.

INNOVATION – Part of the new generation of Lindr beverage coolers, meeting modern European safety and hygiene standards.

PERFORMANCE – Cooling capacity of 25–35 liters per hour, suitable for higher-demand operations.

GREEN LINE – Technology with eco-friendly R-290 refrigerant for lower energy consumption and higher efficiency.



FAST START-UP – Unique cooling block design chills beverages within minutes of turning on.

CHILLED TAP – Ensures the first drop is perfectly cold – ideal for summer use.

EQUIPMENT – Includes thermostat for smooth temperature control, tap, drip tray, and quick connectors for easy setup.

VERSATILITY & COMPACTNESS – Great balance of performance, size, and flexibility. Suitable for cafés, bars, and mobile catering.

PYGMY 25 EXCLUSIVE NITRO COFFEE GREEN LINE 2X NITRO



PRODUCT MODEL	PYGMY 25 EXCLUSIVE NEW GL 2X NITRO
COOLING POWER OF THE COMPRESSOR (HP)	1/8
COOLING POWER OF THE COMPRESSOR (W)	310
MAXIMUM COOLING CAPACITY TO 0 °C / TK 45 °C (L/HOUR)	35
CONTINUOUS COOLING PERFORMANCE (L/HOUR)	25
THERMAL GRADIENT ΔT (°C)	10
AIR COMPRESSOR (BAR)	NO
AIR COMPRESSOR PRESSURE (BAR)	-
NUMBER OF TAPS (PCS)	2
NUMBER OF COOLED BEVERAGES (PCS)	2
LENGTH OF COOLING COILS (M)	9/9
DIAMETER OF COOLING COIL (MM)	7X8
POWER (W)	276
AMPERAGE (A)	1,20
NET WEIGHT (KG)	18,5
REFRIGERANT TYPE	R290
VOLTAGE (V)	220-240V 50HZ-1
BEVERAGE CONNECTION (FITTINGS)	9,5MM (3/8")
NITROGEN CONNECTION (FITTINGS)	9,5MM (3/8")
CUSTOMIZED OPTIONS	
CHOICE OF TAP	YES
BEVERAGE CONNECTION - STAINLESS STEEL SCREWING	YES
NITROGEN CONNECTION - STAINLESS STEEL SCREWING	YES
MOTIVE OF LIGHTING PANEL	YES
POWER CABLE PLUG	YES