

A PROVEN SERIES OF WATER COOLERS WITH AN ICE BANK DESIGNED FOR MEDIUM-SIZED RESTAURANTS, PUBS AND OTHER HOSPITALITY FACILITIES.



CZECH UP YOUR BEER  
COOLING AND DISPENSING SYSTEMS

# ICE BANK

Professional under-counter beer coolers use a water exchanger for cooling, from which the evaporator forms an ice bank.




# AS-110 NEW MODELS



# AS-110 NEW 2X COILS GREEN LINE

The AS-110 NEW GREEN LINE under-table water coolers are fitted with standard cooling technology using an ice bank, and they are primarily used in medium-sized pubs and restaurants, at beer festivals and larger events. The design makes it easy to install, e.g. under the bar or in other premises. Their compact size, a drain valve to easily drain water from the equipment, and a watermark to keep track of the contents are a great asset. The version with two cooling coils enables two different beverages to be cooled at the same time.



## << EASILY PORTABLE

Easy and safe handling with two stainless steel handles on the device sides.

## < THERMAL REGULATION

Thermostat for smooth and precise beverage temperature control is a standard part.

## | BENEFITS AND USEFUL FEATURES

**INNOVATION** – All of our watercoolers undergo continuous development and meet all the latest safety standards and certifications (Czech and European).

**AS TECHNOLOGY** – Water cooling technology with an ice bank, where full ice supply provides maximum cooling performance.

**PERFORMANCE**– The AS NEW GREEN LINE tapping equipment, with its increased continuous output, allows for the continuous serving of quality chilled beverages in quantities corresponding to their numerical marking in litres.

**AGITATOR PUMP** – The cooler incorporates an agitator pump with an aftercooling pump with a discharge of 6 m.'

**GREEN LINE** – The LINDR GREEN LINE technology is environmentally friendly thanks to the use of the eco-friendly refrigerant R-290. Thanks to this design, each product achieves 20% higher energy efficiency and 20% lower power consumption. We have introduced an energy saving system in the production.

**DURABLE SURFACE** – The cooler is made of highly durable coated plastic material.

**CONSTRUCTION AND SERVICE** – The modern layout of the cooling technology guarantees easy accessibility for any service and maintenance.

**EQUIPMENT** – Standard features include a thermostat for smooth and precise beverage temperature control, a cooling coil and quick couplers.

**COMPACT DESIGN** – The AS series coolers have the best performance, size and price ratio on the market.




WE KNOW THAT DETAILS MATTER

## DRAIN VALVE WITH LEVEL GAUGE

The cooler is fitted with a drain valve that allows easy draining of water from the unit and the water level gauge to keep track of the level.

# AS-110 NEW 2X COILS GREEN LINE



AS-110 NEW GL	2X COILS	4X COILS	6X COILS
COOLING POWER OF THE COMPRESSOR (HP)	1/3	1/3	1/3
COOLING POWER OF THE COMPRESSOR (W)	860	860	860
MAX. COOLING CAPACITY TO 0°C / TK 45°C (L/HOUR)	110	110	110
CONTINUOUS COOLING PERFORMANCE (L/HOUR)	60	60	60
THERMAL GRADIENT ΔT (°C)	10	10	10
AIR COMPRESSOR	-	-	-
ICE BANK (KG)	10-20	10-20	10-20
DISPLACEMENT OF RECIRCULATION PUMP (M)	6	6	6
RECIRCULATION CONNECTION (FITTINGS)	1/2	1/2	1/2
NUMBER OF COOLED BEVERAGES (PCS)	2	4	6
LENGTH OF COOLING COILS (M)	2X14	2X14, 2X11	2X14, 2X11, 2X8
DIAMETER OF COOLING COIL (MM)	7X8	7X8	7X8
POWER (W)	621	621	621
AMPERAGE (A)	2,70	2,70	2,70
NET WEIGHT (KG)	28,5	31,0	33,0
REFRIGERANT TYPE	R290	R290	R290
VOLTAGE (V)	220-240V 50HZ-1	220-240V 50HZ-1	220-240V 50HZ-1
BEVERAGE CONNECTION (FITTINGS)	9,5MM (3/8")	9,5MM (3/8")	9,5MM (3/8")
AIR CONNECTION (FITTINGS)	-	-	-
WATER DRAIN WITH WATERMARK	YES	YES	YES
<b>CUSTOMIZED OPTIONS</b>			
CHOICE OF TAP	NO	NO	NO
STAINLESS STEEL SCREWING	NO	NO	NO
POWER CABLE PLUG	YES	YES	YES
DIGITAL THERMOSTAT	YES	YES	YES