
HIGH OUTPUT OF MAKE IT SUITABLE FOR PROFESSIONAL USE.





SODA KONTAKT 70 NEW GREEN LINE

SODA KONTAKT 70 GREEN LINE is a professional device designed for producing chilled soda water by mixing H2O and CO2, also for producing chilled beverage like water, lemonade, beer, wine nad cider. Its high output of up to 70 l/h make it suitable for professional use in restaurants, inns and bars.





- << SODA KONTAKT 70 NEW GL EASY CONNECTION – Each machine is equipped with speed fitting for easy connection of tubes.
- SODA KONTAKT 70 NEW GL THERMAL REGULATION – Thermostat for smooth and precise beverage temperature control is a standard part.

BENEFITS AND USEFUL FEATURES

INNOVATION – All our coolers are constantly evolving and meet all the latest safety standards and certifications (Czech and European).

PERFORMANCE – The soda makers, with their increased continuous output, enable the continuous serving of high-quality chilled beverages in quantities corresponding to their numbering in liters.

GREEN LINE – LINDR GREEN LINE technology is environmentally friendly thanks to the use of ecofriendly refrigerant R-290. Thanks to this design, each product achieves 20 % higher energy efficiency and 20 % lower energy consumption. We have introduced an energy saving system in the production.


CONSTRUCTION AND SERVICE – The modern layout of the cooling technology guarantees easy accessibility for any service and maintenance.

EQUIPMENT – Standard features include a thermostat for smooth and precise beverage temperature control. **OVERALL COMPACTNESS** – soda makers have the best ratio of performance, size and price on the market.


EASY TO CARRY - Easy and safe handling and transport thanks to handles mounted on the top.



SODA KONTAKT 70 NEW GREEN LINE 🛆









| PRODUCT MODEL | SODA KONTAKT 70 NEW GL |
|---|-------------------------|
| COOLING POWER OF THE COMPRESSOR (HP) | 1/3 |
| COOLING POWER OF THE COMPRESSOR (W) | 860 |
| MAXIMUM COOLING CAPACITY TO 0°C / TK 45°C (L/HOUR | 90 |
| CONTINOUS COOLING PERFORMANCE (L/HOUR) | 70 |
| THERMAL GRADIENT ∆T(°C) | 10 |
| AIR COMPRESSOR | NO |
| ICE BANK (KG) | - |
| NUMBER OF TAPS (PCS) | - |
| NUMBER OF COOLED BEVERAGES | SODA+1 |
| CARBONATED WATER (L/HOUR) | 70-90 |
| LENGTH OF COOLING COILS (M) | 2X18 |
| POWER (W) | 828 |
| AMPERAGE (A) | 3,60 |
| NET WEIGHT (KG) | 36,0 |
| REFRIGERANT TYPE | R290 |
| VOLTAGE (V) | 220-240V 50HZ~1 |
| BEVERAGE CONNECTION (FITTINGS) | WATER 3/8, BEVERAGE 3/8 |
| CO2 CONNECTION (FITTINGS) | 5/16 |
| OUTPUT (FITTINGS) | SODA 3/8, BEVERAGE 3/8 |
| CUSTOMIZED OPTIONS | |
| CHOICE OF TAP | NO |
| CONNECTION - STAINLESS STEEL SCREWING | NO |
| MOTIVE OF LIGHTING PANEL | NO |
| POWER CABLE PLUG | YES |